INDEX

Petroleum Transactions, Volume 222

(Plus References to Technical Articles Published in Journal of Petroleum Technology and Technical Papers Published in Society of Petroleum Engineers Journal in 1961)

A

ABRASIVE JETTING: field applications of, (Tech. Art.) JPT May, 413
investigation of method for perforation and fracture initiation, JPT May, 489
theory of formation cutting using the sand erosion process, JPT May, 483

ACCELERATORS: in improved bentonite cements, JPT Sept., 923

ACETIC ACID: applications in well completion, stimulation and reconditioning, (Tech. Art.) JPT July, 637

ACIDIZING: applications of acetic acid to well completion, stimulation and reconditioning, (Tech. Art.) JPT July, 637
stimulation of deep gas and gas-distillate wells, (Tech. Art.) JPT Sept., 841

ACOUSTIC VELOCITY LOGGING: effect of rock bulk compressibility on interpretation, SPEJ Dec., 235; discussion, 246
research predicts improved cement bond evaluation, Tech. Art.) JPT Nov., 1093

ACQUISITION: of oil and gas property, (Tech. Art.) JPT June, 527

ADDITIVES: used in oil-base muds, (Tech. Art.) JPT Dec., 1177

AGAN, J. B.: *Discussion of an Economically Successful Miscible-Phase Displacement Project*, (Tech. Art.) JPT Jan., 41

AIR INJECTION: Caprock Queen pool, New Mexico, (Tech. Art.) JPT Dec., 1195

ALCOHOL: mechanism of displacing oil from porous media, SPEJ Sept., 195; discussion, 209

ALLEN, E. E., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar., 43

ALLEN, F. H. and JONES, K. R.: *Operations Research, a New Discipline of Interest to the Petroleum Engineer*, (Tech. Art.) JPT Jan., 11

ALUMINUM PARTICLES: propping agent in formation fractures, JPT June, 583

AMERICAN INSTITUTE OF MINING, METALLURGICAL, AND PETROLEUM ENGINEERS: state of the institute, (Tech. Art.) JPT May, 433

ANDERSON, W. L. and WALKER, T.: *Research Predicts Improved Cement Bond Evaluations with Acoustic Logs*, (Tech. Art.) JPT Nov., 1093

ANISOTROPIC RESERVOIRS: approximate method for determining areal sweep efficiency and flow capacity, SPEJ Dec., 277
influence of production rate, permeability variation and well spacing on solution-gas-drive performance, JPT May, 469

ARCZYNSKI, T. S., et al: *Use of Oxygen Scavengers to Control External Corrosion of Oil-String Casing*, JPT July, 703

AREAL PERMEABILITY DISTRIBUTION: determining by calculations, JPT July, 691

AREAL SWEEP EFFICIENCY: approximate method for determining in formations with anisotropic permeability, SPEJ Dec., 277

ATKINS, E. R., JR.: *Techniques of Electric Log Interpretation*, (Tech. Art.) JPT Feb., 118

ATKINS, E. R., JR. and SMITH, G. H.: *The Significance of Particle Shape in Formation Resistivity Factor-Porosity Relationships*, JPT Mar., 285; discussion, Oct., 1057

ATTRA, H. D.: *Nonequilibrium Gas Displacement Calculations*, SPEJ Sept., 130

ATTRA, H. D., et al: *Application of Optimizing Techniques for Studying Field Producing Operations*, JPT Jan., 82

ATTRA, H. D. and FERGUSON, D. S.: *The Uses and Limitations of Computers in Petroleum Engineering Work*, (Tech. Art.) JPT July, 625

AUBERLINDER, C. A. and BELL, W. T.: *Perforating High-Temperature Wells*, (Tech. Art.) JPT Mar., 211

AUFRICHT, W. R. and HOWARD, K. C.: *Salt Characteristics as They Affect Storage of Hydrocarbons*, (Tech. Art.) JPT Aug., 733

B

BAIL, P. T. and BOBEK, J. E.: *Model Studies of Oil Displacement from Thin Sands by Vertical Water Influx from Adjacent Shales*, JPT Sept., 950

BAUMAN, W. E., et al: *Some Results of Fracturing with the Single-Point Entry Technique*, (Tech Art.) JPT Jan., 29

BAXENDELL, P. B. and THOMAS, R.: *The Calculation of Pressure Gradients in High-Rate Flowing Wells*, JPT Oct., 1023

BEACH, H. J.: *Improved Bentonite Cements Through Partial Acceleration*, JPT Sept., 923

BEASLEY, A. E., JR., et al: *The New Look in Oil-Mud Technology*, (Tech. Art.) JPT Dec., 1177

BELL, W. T. and AUBERLINDER, G. A.: *Perforating High-Temperature Wells*, (Tech. Art.) JPT Mar., 211

BENHAM, A. L., et al: *Discussion on Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 813

BENNETT, E. O., et al: *Microbial Flora in a Number of Oilfield Water-Injection Systems*, SPEJ June, 71

BENTONITE CEMENTS: improved through partial acceleration, JPT Sept., 923

BIG PINEY FIELD: *See* Wyoming

BIJOU FIELD: *See* Colorado

BISH, G. F.: *The Responsibility Triangle of Effective Management*, (Tech. Art.) JPT June, 519

BITS: hydraulic horsepower and weight on, simplified analysis aids in optimizing for minimum cost, JPT May, 475
laboratory drilling performance of full-scale rock type, JPT Jan., 71
stresses caused by loading at center of hole, SPEJ Sept., 177

BLACK, J. L., JR. and LACIK, H. A.: *Pressure Maintenance Operations in the Sharon Ridge Canyon Unit, Scurry County, Tex.*, (Tech. Art.) JPT July, 645

BLACK, W. M., et al: *Application of Optimizing Techniques for Studying Field Producing Operations*, JPT Jan., 82

BLANTON, J. R. and HERBECK, E. F.: *Ten Years of Miscible Displacement in Block 31 Field*, (Tech. Art.) JPT June, 543

BLENKARN, K. A., et al: *The Use of Alternating Flow to Characterize Porous Media Having Storage Pores*, JPT Apr., 383

BLOCK 31 FIELD: *See* Texas

BLOCK, W. E. and DONOVAN, R. W.: *An Economically Successful Miscible-Phase Displacement Project*, (Tech. Art.) JPT Jan., 35; discussion, 41

BOBEK, J. E. and BAIL, P. T.: *Model Studies of Oil Displacement from Thin Sands by Vertical Water Influx from Adjacent Shales*, JPT Sept., 950

BOHOR, B. F., et al: *Characterization of the San Miguel Sandstone by a Coordinated Logging and Coring Program*, (Tech. Art.) JPT May, 425

BOLLMAN, D. and TUMAN, V. S.: *Application of Computers to the Interpretation of Well Logs*, (Tech. Art.) JPT Apr., 311

BOREHOLES: rotary, maximum permissible dog-legs, JPT Feb., 175

BOTSET, H. G.: *The Vanishing Petroleum Engineering Student*, (Tech. Art.) JPT June, 517

BOTTOM-WATER DRIVES: scale-model study of, JPT Jan., 90

BOUNDARY CONDITIONS: fixed: in study of behavior of bounded reservoirs composed of stratified layers, SPEJ Mar., 43

BOUNDED RESERVOIRS: pressure studies in, SPEJ Dec., 223

BOWEN, J. F. and EDGAR, A. L.: *Performance History of the Midland Farms, North (Grayburg) Field*, (Tech. Art.) JPT Sept., 857

BRADLEY, H. B., et al: *A Potentiometric Study of the Effects of Mobility Ratio on Reservoir Flow Patterns*, SPEJ Sept., 125

BRIGHAM, W. E., et al: *Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Mar., 1; discussion, Sept., 213

BRINKMAN, F. H., et al: *Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 806; discussion, 812, 813, 814

BRINKMAN, F. H., et al: *The Linear Displacement of Oil from Porous Media by Enriched Gas*, JPT Aug., 787

BRONS, F. and MARTING, V. E.: *The Effect of Restricted Fluid Entry on Well Productivity*, JPT Feb., 172

BRONS, F. and MILLER, W. C.: *A Simple Method for Correcting Spot Pressure Readings*, JPT Aug., 803

BROWN, R. W. and LOPER, J. L.: *Theory of Formation Cutting Using the Sand Erosion Process*, JPT May, 483

BROWN, W. and HOWER, W. F.: *Large-Scale Laboratory Investigation of Sand Consolidation Techniques*, JPT Dec., 1221

BUCKLEY-LEVERETT THEORY: use in nonequilibrium gas displacement calculations, SPEJ Sept., 130

BUILD-UP CURVES: use in study of behavior of bounded reservoirs composed of stratified layers, SPEJ Mar., 43

BUILD-UP PRESSURE: in oil wells, use of spot pressure readings, JPT Aug., 803

BUREAU OF MINES: phase equilibrium apparatus, use in studying multiple liquid phases in a natural gas, SPEJ Sept., 137

BURKHARDT, J. A.: *Wellbore Pressure Surges Produced by Pipe Movement*, JPT June, 595

C

CALIFORNIA: Midway-Sunset field: an economically successful slug-type miscible-phase displacement process, (Tech. Art.) JPT Jan., 35; discussion, 41

review of waterflooding operations, (Tech. Art.) JPT Feb., 130

CAMPBELL, J. M. and MCLEOD, H. O., JR.: *Natural Gas Hydrates at Pressures of 10,000 psia*, JPT June, 590

CAMPION, F. E.: *Discussion on Effect of Vertical Fractures on Reservoir Behavior — Incompressible Fluid Case*, SPEJ June, 117

CAPACITY: of fracture filled with a partial sand monolayer, SPEJ Sept., 119

CAPILLARY PRESSURE: effect on linear water flood with gravity, SPEJ Mar., 32

CAPROCK QUEEN FIELD: *See* New Mexico

CARLSON, V., et al: *Microbial Flora in a Number of Oilfield Water-Injection Systems*, SPEJ June, 71

CASED HOLES: chlorine logging in, (Tech. Art.) JPT June, 531

CASING: cathodic protection, deep ground bed for, (Tech. Art.) JPT Jan., 16

cementation of, a sonic method for analyzing the quality, JPT Feb., 165

oil-string, use of oxygen scavengers to control external corrosion, JPT July, 703

CATHODIC PROTECTION: deep ground bed for casing, (Tech. Art.) JPT Jan., 16

CELLAR OIL: laboratory model study, JPT Apr., 377

CEMENTATION OF CASING: sonic method for analyzing the quality, JPT Feb., 165

CEMENT: improved bentonite type through partial acceleration, JPT Sept., 923

improved compositions for wells with extreme temperatures, JPT Mar., 277

research predicts improved bond evaluations with acoustic logs, (Tech. Art.) JPT Nov., 1093

CHEATHAM, J. B., JR. and WILHOIT, J. C., JR.: *Stresses Caused by Bit Loading at the Center of the Hole*, SPEJ Sept., 177

CHITTUM, J. F., et al: *Use of Oxygen Scavengers to Control External Corrosion of Oil-String Casing*, JPT July, 703

CHLORINE LOGGING: in cased holes, (Tech. Art.) JPT June, 531

CLAPEYRON-TYPE EQUATION: for predicting hydrate formation temperature, JPT June, 590

CLARK, G. C., et al: *Economic Optimization of a Development Program for a Low-Permeability Reservoir*, (Tech. Art.) JPT Mar., 231

The Influence of Production Rate, Permeability Variation and Well Spacing on Solution-Gas-Drive Performance, JPT May, 469

CLAY: properties of: deflocculation of fractionated montmorillonite by sodium polyphosphates, SPEJ Dec., 229

COATINGS: use and selection for condensate wells and gathering systems, (Tech. Art.) JPT Sept., 847

COFFER, H. F., et al: *Hydraulic Fracture—Field Test to Determine Areal Extent and Orientation*, JPT Apr., 371

COLORADO: Bijou field: some results of fracturing with the single-point entry technique, (Tech. Art.) JPT Jan., 29

COMPETITION: in electric utility market, the fossil fuels, (Tech. Art.) JPT Nov., 1071

fuel: effects of price and availability on future United States energy market, (Tech. Art.) JPT Oct., 971

shale oil—in the 1960's, (Tech. Art.) JPT Oct., 983

of natural gas in the fuel market, (Tech. Art.) JPT Aug., 727; discussion, 731

COMPLETION PRACTICE: perforating high-temperature wells, (Tech. Art.) JPT Mar., 211

COMPOSITE RESERVOIR: pressure drop in, SPEJ Sept., 170

COMPRESSIBILITY: rock bulk: effect on velocity-log interpretation, SPEJ Dec., 235; discussion, 246

COMPRESSIBILITY FACTORS: gas: simplified graphical method of determining, (Tech. Art.) JPT Nov., 1081

COMPUTERS: digital: application to interpretation of well logs, (Tech. Art.) JPT Apr., 311

IBM 650: used to calculate performance of solution-gas-drive reservoirs, SPEJ Sept., 142

program for analysis of gravity drainage, JPT Sept., 927

IBM 704: use in calculation of pressure build-up for a low-permeability gas-condensate well, JPT Nov., 1131

use in determining influence of production rate, permeability variation and well spacing on solution-gas-drive performance, JPT May, 469

LM-10: study of gas reservoirs subject to water drive on electronic differential analyzer, SPEJ Dec., 287

uses and limitations in petroleum engineering work, (Tech. Art.) JPT July, 625

CONDENSATES: calculated pressure build-up for a low-permeability well, JPT Nov., 1131

corrosion in wells and gathering systems, (Tech. Art.) JPT Sept., 847

dehydration of: new treating techniques improve processing, (Tech. Art.) JPT Oct., 976

CONDUCTIVITY: thermal: of porous rocks filled with stagnant fluid, SPEJ Mar., 37

CONLEY, F. R., et al: *Characterization of the San Miguel Sandstone by a Coordinated Logging and Coring Program*, (Tech. Art.) JPT May., 425

CONNALLY, C. A.: *Discussion on Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 812

CONTINUOUS VELOCITY LOG: some phenomena pertinent to, (Tech. Art.) JPT July, 629

CORE ANALYSIS: coordinated program with well logging for characterization of San Miguel sandstone, (Tech. Art.) JPT May, 425

of Delaware Sand, JPT Dec., 1230

electrodeless system for measuring electric logging parameters on cores and mud samples, JPT Mar., 292

evaluation of significance of permeability measurements, (Tech. Art.) JPT Aug., 739

sidewall, in formation evaluation, (Tech. Art.) JPT May., 419

in studying the effect of reservoir environment on water-oil displacements, JPT June, 595

CORNELIUS, A. J., et al: *Laboratory Studies of Oil Recovery by Steam Injection*, JPT July, 681

CORRELATIONS: for estimating flow rates required to keep gas wells unloaded, (Tech. Art.) JPT Dec., 1173

of surface and interfacial tension of light hydrocarbons in critical region, SPEJ Dec., 259

CORROSION: deep ground bed for casing cathodic protection, (Tech. Art.) JPT Jan., 16

in gas wells and gas gathering systems, (Tech. Art.) JPT Sept., 847

of oil-string casing, use of oxygen scavengers to control, JPT July, 703

COST: minimum, simplified analysis aids in drilling factors for, JPT May, 475

COTMAN, N. T., et al: *A Study of Flow in Stratified Reservoirs by Use of the Thermal Analogy*, SPEJ Dec., 215

COWAN, J. C., et al: *The New Look in Oil-Mud Technology*, (Tech. Art.) JPT Dec., 1177

CRAIG, F. F., JR., et al: *A Scale-Model Study of Bottom-Water Drives*, JPT Jan., 90

CRAIG, F. F., JR. and KOELLER, R. C.: *Discussion on Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 814

CRANE, F. E. and DOWNIE, J.: *Effect of Viscosity on Relative Permeability*, SPEJ June, 59

CRATER FORMATION: produced in sandstone by high-velocity projectiles, JPT Mar., 273; discussion, JPT Sept., 955

CRAWFORD, P. B.., et al: *A Study of Flow in Stratified Reservoirs by Use of the Thermal Analogy*, SPEJ Dec., 215

CREGEEN, D. J. and MOIR, H.: *Evaluation of Limestone Formation Characteristics from Well Logs*, (Tech. Art.) JPT Nov., 1087

CRENSHAW, P. and TERRELL, A.: *Stimulation of Deep Gas and Gas-Distillate Wells*, (Tech. Art.) JPT Sept., 841

CRITICAL REGION: correlation of surface and interfacial tension of light hydrocarbons in, SPEJ Dec., 259

D

DALY, J. P.: *Deep Ground Bed for Casing Cathodic Protection*, (Tech. Art.) JPT Jan., 16

DEFLOCCULATION: of fractionated montmorillonite by sodium polyphosphates, SPEJ Dec., 229

DEILY, F. H., et al: *Laboratory Drilling Performance of the Full-Scale Rock Bit*, JPT Jan., 71; discussion, 80

DELAWARE SAND PROPERTIES: core analysis, capillary pressure, and waterflood feasibility data, JPT Dec., 1230

DEPLETION PERFORMANCE:effect of oil production rate of wells producing from more than one horizon, SPEJ Mar., 26

DEPLETION RATIONALE: and recent political pressures of erosion, (Tech. Art.) JPT June, 522

DEPPE, J. C.: *Injection Rates—the Effect of Mobility Ratio, Area Swept and Pattern*, SPEJ June, 81

DESIGN: of coil: effect on performance of induction log, JPT Nov., 1137; discussion, 1148

factors of, consideration of corrosion in equipment selection for condensate wells and gas gathering systems, (Tech. Art.) JPT Sept., 847

DEVANEY, W. E., et al: *Multiple Liquid Phases in a Natural-Gas System*, SPEJ Sept., 137

DEVELOPMENT FINANCING: planning the formation evaluation program for, (Tech. Art.) JPT Feb., 115

DEVELOPMENT PROGRAM: economic optimization for a low-permeability reservoir, (Tech. Art.) JPT Mar., 231

DEW, J. N., et al: *Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Mar., 1; discussion, Sept., 213

The Influence of Production Rate, Permeability Variation and Well Spacing on Solution-Gas-Drive Performance, JPT May, 469

DEWAN, J. T., et al: *Chlorine Logging in Cased Holes*, (Tech. Art.) JPT June., 531

DIGITIZATION: of well logs, application of computers, (Tech. Art.) JPT Apr., 311

DISPLACEMENT MECHANISM: *See also* Miscible Displacement

nonequilibrium gas: calculations of, SPEJ Sept., 130

oil by alcohol from porous media, SPEJ Sept., 195; discussion, 209

oil by gas, analysis of, SPEJ June, 92; discussion, 102

DISPLACEMENT OF OIL: from thin sands by vertical water influx from adjacent shales, JPT Sept., 950

by water: effect of reservoir environment, JPT June, 579

DISSOLVED-GAS DRIVE: *See* Solution-Gas Drive

DODGE, C. F., et al: *Identification, Classification and Prediction of Reservoir Nonuniformities Affecting Production Operations*, (Tech. Art.) JPT Mar., 223; discussion, 230

DOG-LEGS: maximum permissible in rotary boreholes, JPT Feb., 175

DONOVAN, R. W. and BLOCK, W. E.: *An Economically Successful Miscible-Phase Displacement Project*, (Tech. Art.) JPT Jan., 35; discussion, 41

DOWNIE, J. and CRANE, F. E.:*Effect of Viscosity on Relative Permeability*, SPEJ June, 59

DRILLING: experimental stress analysis of tool joints, JPT May, 496

improved compositions for cementing wells with extreme temperatures, JPT Mar., 277

laboratory performance of the full-scale rock bit, JPT Jan., 71

maximum permissible dog-legs in rotary boreholes, JPT Feb., 175

simplified analysis aids in optimizing factors for minimum cost, JPT May, 475

stresses caused by bit-loading at center of hole, SPEJ Sept., 177

wellbore pressure surges produced by pipe movement, JPT June, 595

DRILLING FLUIDS: depth of mud filtrate invasion, (Tech. Art.) JPT Aug., 749

new look in oil-mud technology, (Tech. Art.) JPT Dec., 1177

some effects of size distribution on particle bridging in lost circulation and filtration tests, JPT June, 575

DRILL-STEM TESTING: status of techniques and analysis, (Tech. Art.) JPT Apr., 333

DUESTERHOEFT, W. C., JR., et al: *The Effect of Coil Design on the Performance of the Induction Log*, JPT Nov., 1137; discussion, 1148

DUGGAN, J. O.: *Estimating Flow Rates Required to Keep Gas Wells Unloaded*, (Tech. Art.) JPT Dec., 1173

DYKSTRA, H.: *Calculated Pressure Build-Up for a Low-Permeability Gas-Condensate Well*, JPT Nov., 1131

E

ECONOMICS: engineering the oil loan, (Tech. Art.) JPT Jan., 19

federal income taxes, an engineer's view of, (Tech. Art.) JPT Feb., 125

future outlook for tertiary recovery, (Tech. Art.) JPT May, 416

oil and gas property acquisition, (Tech. Art.) JPT June, 527

planning the formation evaluation program for development financing, (Tech. Art.) JPT Feb., 115
successful slug-type miscible-phase displacement project, (Tech. Art.) JPT Jan., 35; discussion, 41
EDGAR, A. L. and BOWEN, J. F.: *Performance History of the Midland Farms, North (Grayburg) Field,* (Tech. Art.) JPT Sept., 857
EFFICIENCY: mechanical, of a rock bit, JPT Jan., 71; discussion, 80
EGGLESTON, W. S.: *An Engineer's View of Federal Income Taxes,* (Tech. Art.) JPT Feb., 125
EISEMANN, E. F., JR.: *Effects of Price and Availability on the Future United States Energy Market,* (Tech. Art.) JPT Oct., 971
ELECTRIC UTILITIES: competitive patterns in the domestic fuel market—the fossil fuels, (Tech. Art.) JPT Nov., 1071
ENERGY: consumption of: rotary drilling with rock bits, JPT Jan., 71; discussion, 80
effect of price and availability on future United States market, (Tech. Art.) JPT Oct., 971
shale oil—a competitive fuel in the 1960's, (Tech. Art.) JPT Oct., 983
view of federal income taxes, (Tech. Art.) JPT Feb., 125
ENGINEERING: petroleum, uses and limitations of computers, (Tech. Art.) JPT July, 625
ENGINEERING CENTER: AIME contributions, (Tech. Art.) JPT May, 433
ENGINEERING FORECAST: for loan on oil and gas production, (Tech. Art.) JPT Jan., 19
ENGINEERING ORGANIZATIONS: how the work of EJC, ECPD and NSPE affects the petroleum engineer, (Tech. Art.) JPT Mar., 236
ENGINEERS: union membership vs professionalism, (Tech. Art.) JPT Dec., 1184
ENGINEERS' COUNCIL FOR PROFESSIONAL DEVELOPMENT: how work affects the petroleum engineer, (Tech. Art.) JPT Mar., 236
ENGINEERS' JOINT COUNCIL: how work affects the petroleum engineer, (Tech. Art.) JPT Mar., 236
ENRICHED-GAS DRIVE: linear displacement of oil from porous media, JPT Aug., 787
ENROLLMENT: petroleum engineering student is vanishing, (Tech. Art.) JPT June, 517
EQUILIBRIUM RATIOS: of water in the water-triethylene glycol-natural gas system, JPT July, 697
use in calculation of differential gas liberation and shrinkage, JPT Nov., 1135
EQUIPMENT: test: for large-scale investigation of sand consolidation techniques, JPT Dec., 1221
ERTL, T.: *Shale Oil—a Competitive Fuel in the 1960's,* (Tech. Art.) JPT Oct., 983
EVALUATION: of cement bond: improved with acoustic logs, (Tech. Art.) JPT Nov., 1093
of limestone formation characteristics from well logs, (Tech. Art.) JPT Nov., 1087
rapid present worth of oil- and gas-producing properties, (Tech. Art.) JPT Nov., 1075
of vertical-lift performance in producing wells, JPT Apr., 390
EWING, S. P. JR., et al: *The Linear Displacement of Oil from Porous Media by Enriched Gas,* JPT Aug., 787

F

FAIR-MARKET VALUE: determination for loan on oil and gas production, (Tech. Art.) JPT Jan., 19
FARIS, J. E., et al: *Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process,* JPT Aug., 806; discussions, 812, 813, 814
FATT, I.: *An Electrodeless System for Measuring Electric Logging Parameters on Cores and Mud Samples,* JPT Mar., 292
FAYERS, F. J. and HOVANESSIAN, S. A.: *Linear Water Flood with Gravity and Capillary Effects,* SPEJ Mar., 32
FERGUSON, D. S. and ATTRA, H. D.: *The Uses and Limitations of Computers in Petroleum Engineering Work,* (Tech. Art.) JPT July, 625
FIELD APPLICATIONS: of abrasive-jetting techniques, (Tech. Art.) JPT May, 413
FIELD CASE HISTORY: Big Piney and Patrick Draw fields, Wyoming and Bijou field, Colorado: some results of fracturing with single-point entry technique, (Tech. Art.) JPT Jan., 29
Midway-Sunset field, California: an economically successful slug-type miscible-phase displacement process, (Tech. Art.) JPT Jan., 35; discussion, 41
FIELD DEVELOPMENT: economic optimization of a development program for a low-permeability reservoir, (Tech. Art.) JPT Mar., 231
FILTRATION TESTS: effects of size distribution on particle bridging, JPT June, 575
FINANCING: development, planning the formation evaluation program for, (Tech. Art.) JPT Feb., 115
FINCHER, D. R.: *Corrosion in Gas Wells and Gas Gathering Systems,* (Tech. Art.) JPT Sept., 847
FLORA: microbial: found in oilfield water-injection systems, SPEJ June, 71
FLOW CAPACITY: approximate method for determining in formations with anistropic permeability, SPEJ Dec., 277
FLOW STABILITY: development of theory for miscible liquid-liquid displacement, SPEJ Mar., 17
use to optimize solvent-oil recovery, SPEJ Mar., 9
FLOW TESTS: estimating formation permeability, formation pressure, and well damage, (Tech. Art.) JPT Sept., 862
FLUID FLOW: alternating: use to characterize porous media having storage pores, JPT Apr., 383
estimating flow rates required to keep gas wells unloaded, (Tech. Art.) JPT Dec., 1173
gas: unsteady state into gas wells, JPT Nov., 1151
nonsteady state in porous media, approximate method for computing, SPEJ Dec., 264
in heterogeneous porous media, SPEJ Sept., 153
imbibition model: application of, SPEJ June, 61
incompressible: effect of vertical fractures on reservoir behavior, SPEJ June, 105; discussion, 117
of gas and liquid simultaneously as encountered in well tubing, JPT Oct., 1037
maximum capacity of fracture, effect of propping agent concentration, SPEJ Sept., 119
multiphase: of water, oil and natural gas through vertical flow strings, JPT Oct., 1029
restricted entry, effect on well productivity, JPT Feb., 172
study in stratified reservoirs by use of thermal analogy, SPEJ Dec., 215
three-phase imbibition relative permeability, SPEJ Dec., 254
two dimensional analyses: determining areal permeability distribution, JPT July, 691
two-phase pressure gradient calculations, JPT Oct., 1023
FLUID MECHANICS: in study of widths of hydraulic fractures, JPT Sept., 937
FORMATION CUTTING: theory using the sand erosion process, JPT May, 483
FORMATION EVALUATION: characterization of the San Miguel sandstone by a coordinated logging and coring program, (Tech. Art.) JPT May, 425
induced nuclear reaction logging, JPT Aug., 797
of limestone characteristics from well logs, (Tech. Art.) JPT Nov., 1087
planning the program for development financing, (Tech. Art.) JPT Feb., 115
sidewall core analysis, use of, (Tech. Art.) JPT May, 419
with wireline tester, merits and shortcomings, (Tech. Art.) JPT Oct., 987
FORMATION FRACTURES: investigation of abrasive-laden-fluid method for initiation of, JPT May, 489
produced in sandstone by high-velocity projectiles, JPT Mar., 273; discussion, JPT Sept., 955
propping with aluminum particles, JPT June, 583
sand concentration for maximum fracture flow capacity, SPEJ Sept., 119

vertical: effect on reservoir behavior, incompressible fluid case, SPEJ June, 105; discussion, 117

FORMATION FRACTURING: hydraulic: field test to determine areal extent and orientation, JPT Apr., 371

horizontal: effect on well performance, JPT Oct., 1050

width of, JPT Sept., 937

reduction of friction loss, (Tech. Art.) JPT Mar., 217

some results of single-point entry technique, (Tech. Art.) JPT Jan., 29

stimulation of deep gas and gas-distillate wells, (Tech. Art.) JPT Sept., 841

FRACTURED RESERVOIRS: *See* Formation Fractures

FORMATION RESISTIVITY FACTOR: porosity relationships, significance of particle shape, JPT Mar., 285

FRACTURED RESERVOIRS OR FRACTURING: *See* Formation Fractures and Formation Fracturing

FRICTION LOSS: reduction of, during fracturing operations, (Tech. Art.) JPT Mar., 217

FUELS: competition and gas pricing in New England and the Pacific Northwest, (Tech. Art.) JPT Sept., 835

effect of price and availability on future United States energy market, (Tech. Art.) JPT Oct., 971

fossil: competitive patterns in the electric utility market, (Tech. Art.) JPT Nov., 1071

natural gas in competitive market, (Tech. Art.) JPT Aug., 727; discussion, 731

shale oil, competitive in the 1960's, (Tech. Art.) JPT Oct., 983

G

GARDER, A. O., JR. and STONE, H. L.: *Analysis of Gas-Cap or Dissolved-Gas Drive Reservoirs*, SPEJ June, 92; discussion, 102

GARDNER, G. H. F.: *Discussion on the Significance of Particle Shape in Formation Resistivity Factor-Porosity Relationships*, JPT Oct., 1050

GARDNER, G. H. F., et al: *Some Phenomena Pertinent to Velocity Logging*, (Tech. Art.) JPT July, 629

GAS: *See also* Natural Gas

compressibility factors of, simplified graphical method of determining, (Tech. Art.) JPT Nov., 1081

constant-pressure porosimeter, JPT Jan., 87

differential liberation of: calculation method, JPT Nov., 1135

nonequilibrium: displacement calculations for, SPEJ Sept., 130

nonsteady-state flow in porous media, approximate method for computing, SPEJ Dec., 264

unsteady-state flow into gas wells, JPT Nov., 1151

GAS-CAP DRIVE: reservoir analysis of, SPEJ June, 92; discussion, 102

GAS CONDENSATES: *See* Condensates

GAS DETECTION: in mud analysis logging, (Tech Art.) JPT Apr., 323

GAS-DISTILLATE WELLS: stimulation of, (Tech. Art.) JPT Sept., 841

GAS LIFT: evaluation of vertical-lift performance in producing wells, JPT Apr., 390

multiphase flow of water, oil and natural gas through vertical flow strings, JPT Oct., 1029

simultaneous flow of gas and liquid as encountered in well tubing, JPT Oct., 1037

well performance, pressure losses in flow strings, JPT Oct., 1023

GAS PRODUCTION: rapid present-worth evaluations of properties, (Tech, Art.) JPT Nov., 1075

GAS RESERVOIRS: subject to water drive, study on electronic differential analyzer, SPEJ Dec., 287

GAS TREATING: new techniques improve sour-gas processing, (Tech. Art.) JPT Oct., 976

GAS WELLS: estimating flow rates required to keep wells unloaded, (Tech. Art.) JPT Dec., 1173

GASKELL, M. H. and LINDLEY, D. C.: *Cellar Oil*, JPT Apr., 377

GATHERING SYSTEM: gas, corrosion in, (Tech. Art.) JPT Sept., 847

GATLIN, C.: *Discussion on Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept., 209

GATLIN, C. and NEMIR, C. E.: *Some Effects of Size Distribution on Particle Bridging in Lost Circulation and Filtration Tests*, JPT June, 575

GEERSTMA, J.: *Velocity-Log Interpretation: The Effect of Rock Bulk Compressibility*, SPEJ Dec., 235; discussion, 246

GILLSON, J. L.: *The State of the Institute*, (Tech. Art.) JPT May., 433

GIVEN, I. A.: *Discussion on Natural Gas and the Competitive Fuel Market*, (Tech. Art.) JPT Aug., 731

GLYCOL DEHYDRATION: equilibrium ratios of water in the water-triethylene glycol-natural gas system, JPT July, 697

GOGARTY, W. B., et al: *Discussion on Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 813

GOODMAN DIAGRAM: evaluating permissible dog-legs in rotary boreholes, JPT Feb., 175

GORMLEY, J. F.: *Experimental Stress Analysis of Tool Joints*, JPT May, 496

GRANBERRY, R. J. and KOEPF, E. H.: *The Use of Sidewall Core Analysis in Formation Evaluation*, (Tech. Art.) JPT May, 419

GRAPHICAL ANALYSIS: simplified method of determining gas compressibility factors, (Tech. Art.) JPT Nov., 1081

GRAVITY: effect on linear water flood with capillary effects, SPEJ Mar., 32

GRAVITY DRAINAGE: analysis of, JPT Sept., 927

GREGORY, A. R., et al: *Some Phenomena Pertinent to Velocity Logging*, (Tech. Art.) JPT July, 629

GROSMANGIN, M., et al: *A Sonic Method for Analyzing the Quality of Cementation of Borehole Casings*, JPT Feb., 165

GROUND BED: deep, for casing cathodic protection, (Tech. Art.) JPT Jan., 16

GUERRERO, E. T. and LOUCKS, T. L.: *Pressure Drop in a Composite Reservoir*, SPEJ Sept., 170

H

HALL, C. D. and OUSTERHOUT, R. S.: *Reduction of Friction Loss in Fracturing Operations*, (Tech. Art.) JPT Mar., 217

HALL, H. N.: *Analysis of Gravity Drainage*, JPT Sept., 927

HARRIMAN, D. W., et al: *Investigation of Abrasive-Laden-Fluid Method for Perforation and Fracture Initiation*, JPT May, 489

HARRIS, F. N.: *Applications of Acetic Acid to Well Completion, Stimulation and Reconditioning*, (Tech. Art.) JPT July, 637

HARTLINE, R. E., et al: *The Effect of Coil Design on the Performance of the Induction Log*, JPT Nov., 1137; discussion, 1148

HARTSOCK, J. H. and WARREN, J. E.: *The Effect of Horizontal Hydraulic Fracturing on Well Performance*, JPT Oct., 1050

HAZEBROEK, P., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar., 43

HEAT OF REACTION: of sandstone, SPEJ Dec., 249

HEAT TRANSFER: character of porous rocks filled with stagnant fluid, SPEJ Mar., 37

in porous rocks, SPEJ Dec., 249

HEIM, A. H.: *Constant-Pressure Gas Porosimeter*, JPT Jan., 87

HELLER, J. P.: *Discussion on Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Sept., 213

HELLER, J. P., et al: *A Potentiometric Study of the Effects Mobility Ratio on Reservoir Flow Patterns*, SPEJ Sept., 125

HENDERSON, J. H. and NAAR, J.: *An Imbibition Model—Its Application to Flow Behavior and the Prediction of Oil Recovery*, SPEJ June, 61

HENDRICKSON, G. E.: *History of the Welch Field San Andres Pilot Water Flood*, (Tech. Art.) JPT Aug., 745

HENLEY, D. H., et al: *A Scale-Model Study of Bottom-Water Drives*, JPT Jan., 90

HENSON, W. L., et al: *A Numerical Solution to the Unsteady-State Partial-Water-Drive Reservoir Performance Problem*, SPEJ Sept., 184

HERBECK, E. F. and BLANTON, J. R.: *Ten Years of Miscible Displacement in Block 31 Field*, (Tech. Art.) JPT June, 543

HEUER, G. J., JR., et al: *The Influence of Production Rate, Permeability Variation and Well Spacing on Solution-Gas-Drive Performance*, JPT May, 469

HODGSON, R. N., et al: *Economic Optimization of a Development Program for a Low-Permeability Reservoir*, (Tech. Art.) JPT Mar., 231

HOUGH, E. W. and STEGEMEIER, G. L.: *Correlation of Surface and Interfacial Tension of Light Hydrocarbons in the Critical Region*, SPEJ Dec., 259

HOVANESSIAN, S. A.: *Pressure Studies in Bounded Reservoirs*, SPEJ Dec., 223

HOVANESSIAN, S. A. and FAYERS, F. J.: *Linear Water Flood with Gravity and Capillary Effects*, SPEJ Mar., 32

HOWARD, K. C. and AUFRICHT, W. R.: *Salt Characteristics as They Affect Storage of Hydrocarbons*, (Tech. Art.) JPT Aug., 733

HOWE, R. J., et al: *Laboratory Drilling Performance of the Full-Scale Rock Bit*, JPT Jan., 71; discussion, 80

HOWELL, J. C. and MILBURN, J. D.: *Formation Evaluation with the Wireline Tester — Merits and Shortcomings*, (Tech. Art.) JPT Oct., 987

HOWER, W. F. and BROWN, W.: *Large-Scale Laboratory Investigation of Sand Consolidation Techniques*, JPT Dec., 1221

HOYER, W. A.: *Induced Nuclear Reaction Logging*, JPT Aug., 797

HUITT, J. L., et al: *Some Results of Fracturing with the Single-Point Entry Technique*, (Tech. Art.) JPT Jan., 29

HUTCHINSON, C. A., JR., et al: *Identification, Classification and Prediction of Reservoir Nonuniformities Affecting Production Operations*, (Tech Art.) JPT Mar., 223; discussion, 230

HYDRATES: of natural gas at pressures to 10,000 psia, JPT June, 590

HYDRAULIC JETTING: *See* Abrasive jetting

HYDRAZINE: field evaluation as a casing corrosion preventive, JPT July, 703

I

IMBIBITION: three-phase relative permeability, SPEJ Dec., 254

IMBIBITION TESTS: effect of reservoir environment on water-oil displacement, JPT June, 579

INCOME TAXES: federal: engineer's view of, (Tech. Art.) JPT Feb., 125

INDUCTION LOG: effect of coil design on performance, JPT Nov., 1137; dicussion, 1148

INJECTION: *See* Water Flooding

INJECTION RATE: effect of mobility ratio, area swept, and pattern, SPEJ June, 81

INJECTIVITY TEST: LL-5 flank water flood at Lake Maracaibo, (Tech Art.) JPT Dec., 1191

INTERFACIAL TENSION: correlation of light hydrocarbons in critical region, SPEJ Dec., 259

INTERFERENCE TESTS: analysis of, (Tech. Art.) JPT Sept., 862

INTERPRETATION: of drill-stem tests, status of techniques, (Tech. Art.) JPT Apr., 333

of well logs, application of computers, (Tech. Art.) JPT Apr., 311

J

JENKINS, R. E.: *Characteristics of the Delaware Formation*, JPT Dec., 1230

JENNINGS, J. W. et al: *Some Results of Fracturing with the Single-Point Entry Technique*, (Tech. Art.) JPT Jan., 29

JESSEN, F. W. and TURAN, F. H.: *Deflocculation of Fractionated Montmorillonite by Sodium Polyphosphates*, SPEJ Dec., 229

JETTING: abrasive, field applications of, (Tech. Art.) JPT May, 413

JOHNSON, E. F., et al: *The Linear Displacement of Oil from Porous Media by Enriched Gas*, JPT Aug., 787

JONES, K. R. and ALLEN, F. H.: *Operations Research, A New Discipline of Interest to the Petroleum Engineer*, (Tech. Art.) JPT Jan., 11

JONES, L. G.: *An Approximate Method for Computing Nonsteady-State Flow of Gases in Porous Media*, SPEJ Dec., 264

K

KAMATH, I. S. K., et al: *Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept., 195; discussion, 209

KATZ, D. L., et al: *Study of Gas Reservoirs Subject to Water Drive on Electronic Differential Analyzer*, SPEJ Dec., 287

KERN, L. R. and PERKINS, T. K.: *Widths of Hydraulic Fractures*, JPT Sept., 937

KERN, L. R., et al: *Propping Fractures with Aluminum Particles*, JPT June, 583

KNUTSON, C. F., et al: *Characterization of the San Miguel Sandstone by A Coordinated Logging and Coring Program*, (Tech. Art.) JPT May, 425

KOELLER, R. C. and CRAIG, F. F., JR.: *Discussion on Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 814

KOEPF, E. H. and GRANBERRY, R. J.: *The Use of Sidewall Core Analysis in Formation Evaluation*, (Tech. Art.) JPT May, 419

KOKESH, F. P. et al: *A Sonic Method for Analyzing the Quality of Cementation of Borehole Casings*, JPT Feb., 165

KOZENY-CARMEN EQUATION: estimating conductivities of aluminum propped fractures, JPT June, 583

KRUGER, W. D.: *Determining Areal Permeability Distribution by Calculations*, JPT July, 691

KUNII, D. and SMITH, J. M.: *Thermal Conductivities of Porous Rocks Filled with Stagnant Fluid*, SPEJ Mar., 37

KURTZ, W. L. and ROBINSON, M. E.: *Competitive Patterns in the Electric Utility Market—The Fossil Fuels*, (Tech. Art.) JPT Nov., 1071

KYTE, J. R. et al: *Effect of Reservoir Environment on Water-Oil Displacements*, JPT June, 579

L

LABORATORY STUDIES: of bottom-water drives by scaled model, JPT Jan., 90

drilling performance of the full-scale rock bit, JPT Jan., 71; discussion, 80

of oil recovery by steam injection, JPT July, 681

of sand consolidation techniques, JPT Dec., 1221

LACEY, J. W. et al: *Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 806; discussions, 812, 813, 814

LACIK, H. A. and BLACK, J. L. JR.: *Pressure Maintenance Operations in the Sharon Ridge Canyon Unit, Scurry County, Tex.*, (Tech. Art.) JPT July, 645

LAKE MARACAIBO: *See* Venezuela

LEFKOVITS, H. C., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar., 43

LENTZ, O. H: *The Depletion Rationale and Recent Political Pressures of Erosion*, (Tech. Art.) JPT June, 522

LEVINE, J. S. and PRATS, M.: *The Calculated Performance of Solution-Gas-Drive Reservoirs*, SPEJ Sept., 142

LIMESTONE: evaluation of formation characteristics from well logs, (Tech. Art.) JPT Nov., 1087

LINDLEY, D. C. and GASKELL, M. H.: *Cellar Oil*, JPT Apr., 377

LINDLEY, R. H.: *The Use of Differential Sonic-Resistivity Plots to Find Movable Oil in Permian Formations*, (Tech. Art.) JPT Aug., 749

LINEAR DISPLACEMENT: of oil from porous media by enriched gas, JPT Aug., 787

LINEAR PROGRAMING: application of optimizing techniques for studying field producing operations, JPT Jan., 82
importance in operations research, (Tech. Art.) JPT Jan., 11
LIQUIDS: multiple phases in a natural-gas system, SPEJ Sept., 137
LOAN VALUE: of oil and gas production, (Tech. Art.) JPT Jan., 19
LOGGING: *See* Well logging
LOPER, J. L. and BROWN, R. W.: *Theory of Formation Cutting Using the Sand Erosion Process*, JPT May, 483
LOST CIRCULATION TESTS: effects of size distribution on particle bridging, JPT June, 575
LOUCKS, T. L. and GUERRERO, E. T.: *Pressure Drop in a Composite Reservoir*, SPEJ Sept., 170
LPG INJECTION: high-pressure gas-driven bank process, effect of bank size on oil recovery, JPT Aug., 806; discussions, 812, 813, 814
LUBINSKI, A.: *Maximum Permissible Dog-Legs in Rotary Boreholes*, JPT Feb., 175
LUBINSKI, A., et al: *The Use of Alternating Flow to Characterize Porous Media Having Storage Pores*, JPT Apr., 383

M

MAHONEY, R. M., et al: *How the Work of EJC, ECPD and NSPE Affects the Petroleum Engineer*, (Tech. Art.) JPT Mar., 236
MAJANI, P., et al: *A Sonic Method for Analyzing the Quality of Cementation of Borehole Casings*, JPT Feb., 165
MANAGEMENT: effective, responsibility triangle of, (Tech. Art.) JPT June, 519
MARRS, D. G.: *Field Results of Miscible-Displacement Program Using Liquid Propane Driven by Gas, Parks Field Unit, Midland County, Tex.*, (Tech. Art.) JPT Apr., 327
MARTIN, J. C.: *Discussion on Analysis of Gas-Cap or Dissolved-Gas Drive Reservoirs*, SPEJ June, 102
MARTING, V. E. and BRONS, F.: *The Effect of Restricted Fluid Entry on Well Productivity*, JPT Feb., 172
MATTAX, C. C. et al: *Effect of Reservoir Environment on Water-Oil Displacements*, JPT June, 579
MATTHEWS, C. S.: *Analysis of Pressure Build-Up and Flow Test Data*, (Tech. Art.) JPT Sept., 862
MATTHEWS, C. S., et al: *A Study of the Behavior of Bounded Reservoirs Composed of Stratified Layers*, SPEJ Mar., 43
MAURER, W. C. and RINEHART, J. S.: *Fractures and Craters Produced in Sandstone by High-Velocity Projectiles*, JPT Mar., 273; discussion JPT Sept., 955
MAXIMUM DENSITY THEORY: in lost circulation and filtration problems, JPT June, 575
MAYHEW, Z.: *A Review of Foreign Oil Production in 1960*, (Tech. Art.) JPT Apr., 320
MCAFEE, R. V.: *The Evaluation of Vertical Lift Performance in Producing Wells*, JPT Apr., 390
MCLEOD, H. O., JR. and CAMPBELL, J. M.: *Natural Gas Hydrates at Pressures to 10,000 psia*, JPT June, 590
MELKONIAN, B. L. and VAN WINGEN, N.: *Review of California Waterflooding Operations*, (Tech. Art.) JPT Feb., 130
MEMBERSHIP: in AIME, (Tech. Art.) JPT May, 433
MICROBIAL FLORA: in oilfield water-injection systems, SPEJ June, 71
MIDLAND FARMS, NORTH (GRAYBURG) FIELD: *See* Texas
MIDWAY-SUNSET FIELD: *See* California
MILBURN, J. D. and HOWELL, J. C.: *Formation Evaluation with the Wireline Tester—Merits and Shortcomings*, (Tech. Art.) JPT Oct., 987
MILLER, J. E., et al: *Multiple Liquid Phases in a Natural-Gas System*, SPEJ Sept., 137
MILLER, R. W.: *A Review of 1960 Domestic Production*, (Tech. Art.) JPT Apr., 319
MILLER, W. C. and BRONS, F.: *A Simple Method for Correcting Spot Pressure Readings*, JPT Aug., 803
MISCIBLE DISPLACEMENT: economically successful slug-type project, (Tech. Art.) JPT Jan., 35; discussion, 41
effect of bank size on oil recovery in the high-pressure gas-driven LPG-bank process, JPT Aug., 806; discussions, 812, 813, 814
experiments on mixing in porous media, SPEJ Mar., 1; discussion, Sept., 213
field results of program using liquid propane driven by gas, Parks field unit, Midland County, Tex., (Tech. Art.) JPT Apr., 327
liquid-liquid: development of stability theory, SPEJ Mar., 17
oil by alcohol from porous media, SPEJ Sept., 195; discussion, 209
partial: of oil from porous media by enriched gas, JPT Aug., 787
ten years in Block 31 field, (Tech. Art) JPT June, 543
use of stability theory to optimize, SPEJ Mar., 9
MITCHELL, G. M.: *Fuels Competition and Gas Pricing in New England and the Pacific Northwest*, (Tech. Art.) JPT Sept., 835
MITCHELL, W., JR., et al: *How the Work of EJC, ECPD and NSPE Affects the Petroleum Engineer*, (Tech. Art.) JPT Mar., 236
MIXING: experiments on, during miscible displacement in porous media, SPEJ Mar., 1; discussion, Sept., 213
MOBILITY RATIO: effect on injection rates in multifluid floods, SPEJ June, 81
potentiometric study of effects on reservoir flow patterns, SPEJ Sept., 125
use in scale-model study of bottom-water drives, JPT Jan., 90
MODELS: flow, sand-pack; scaled: study of bottom-water drives, JPT Jan., 90
heat conduction: study of flow in stratified reservoir, SPEJ Dec., 215
imbibition: application to flow behavior and the prediction of oil recovery, SPEJ June, 61
mathematical: use in an operations research solution of a problem, (Tech. Art.) JPT Jan., 11
numerical: use in economic optimization of a development program for a low-permeability reservoir, (Tech. Art.) JPT Mar., 231
potentiometric, conductive cloth: study of the effects of mobility ratio on reservoir flow patterns, SPEJ Sept., 125
scaled: laboratory study of water flooding cellar oil, JPT Apr., 377
studies of oil displacement from thin sands by vertical water influx from adjacent shales, JPT Sept., 950
theoretical: of consolidated porous medium, three-phase relative permeability, SPEJ Dec., 254
three dimensional: used to study flow in heterogenous porous media, SPEJ Sept., 153
MOIR, H. and CREGEEN, D. J.: *Evaluation of Limestone Formation Characteristics From Well Logs*, (Tech. Art.) JPT Nov., 1087
MONTMORILLONITE: fractionated: deflocculation by sodium pholphosphates, SPEJ Dec., 229
MOORE, H. J.: *A Tailor-Made Water-Injection System Saves Money in the LL-5 Flank Water Flood at Lake Maracaibo*, (Tech. Art.) JPT Dec., 1191
MORAN, J. H.: *Discussion on The Effect of Coil Design on the Performance of the Induction Log*, JPT Nov., 1148
MORRIS, R. L. et al: *Chlorine Logging in Cased Holes*, (Tech. Art.) JPT June, 531
MORTADA, M. and NABOR, G. W.: *An Approximate Method for Determining Areal Sweep Efficiency and Flow Capacity in Formation with Anisotropic Permeability*, SPEJ Dec., 277
MUD ANALYSIS LOGGING: (Tech. Art.) JPT Apr., 323
MUD LOGGING: electrodeless system for measuring electric logging parameters on cores and mud samples, JPT Mar., 292
MULTIPLE ZONES: effect of oil production rate on performance of producing wells, SPEJ Mar., 26

N

NAAR, J. and HENDERSON, J. H.: *An Imbibition Model—Its Application to Flow Behavior and the Prediction of Oil Recovery*, SPEJ June, 61

NAAR, J. and WYGAL, R. J.: *Three-Phase Imbibition Relative Permeability*, SPEJ Dec., 254

NABOR, G. W. and MORTADA, M.: *An Approximate Method for Determining Areal Sweep Efficiency and Flow Capacity in Formation with Anisotropic Permeability*, SPEJ Dec., 277

NATIONAL FUELS POLICY: natural gas and competitive market, (Tech. Art.) JPT Aug., 727; discussion, 731

NATIONAL SOCIETY FOR PROFESSIONAL ENGINEERS: how work affects the petroleum engineer, (Tech. Art.) JPT Mar., 236

NATURAL GAS: in competitive fuel market, (Tech. Art.) JPT Aug., 727; discussion, 731

fuel competition and pricing in New England and the Pacific Northwest, (Tech. Art.) JPT Sept., 835

hydrates at pressures to 10,000 psia, JPT June, 590

multiphase flow with water and oil through vertical flow strings, JPT Oct., 1029

multiple liquid phases in, SPEJ Sept., 137

NAUMANN, V. O., et al: *Effect of Reservoir Environment on Water-Oil Displacements*, JPT June, 579

NEMIR, C. E. and GATLIN, C.: *Some Effects of Size Distribution on Particle Bridging in Lost Circulation and Filtration Tests*, JPT June, 575

NEW ENGLAND: fuels competition and gas pricing, (Tech. Art.) JPT Sept., 835

NEW MEXICO: successful Caprock Queen water flood, (Tech. Art.) JPT Dec., 1195

NEWTONIAN FLUIDS: in study of widths of hydraulic fractures, JPT Sept., 937

NUCLEAR LOGGING: in cased holes, (Tech. Art.) JPT June, 531

induced reaction, JPT Aug., 797

NUMERICAL SOLUTION: linear water flood with gravity and capillary effects, SPEJ Mar., 32

to unsteady-state partial-water-drive reservoir-performance problem, SPEJ Sept., 184

O

ODEH, A. S.: *Discussion on Effect of Viscosity on Relative Permeability*, SPEJ June, 59

ODEH, A. S., et al: *A Potentiometric Study of the Effects of Mobility Ratio on Reservoir Flow Patterns*, SPEJ Sept., 125

OIL FIELDS: water injection system: microbial flora found therein, SPEJ June, 71

OIL INDUSTRY: Russian: impressions of, (Tech. Art.) JPT July, 621

OIL LOANS: mechanics of engineering, (Tech. Art.) JPT Jan., 19

OIL MUDS: the new look in technology, (Tech. Art.) JPT Dec., 1177

OIL PRODUCTION: effect of rate on performance of wells producing from more than one horizon, SPEJ Mar., 26

rapid present-worth evaluations of properties, (Tech. Art.) JPT Nov., 1075

OIL RECOVERY: of cellar oil, JPT Apr., 377

effect of bank size in high-pressure gas-driven LPG-bank process, JPT Aug., 806; discussions, 812, 813, 814

future outlook for tertiary methods, (Tech. Art.) JPT May, 416

prediction by an imbibition model, SPEJ June, 61

by steam injection, laboratory studies of, JPT July, 681

OIL SHALE: competitive fuels in the 1960's, (Tech. Art.) JPT Oct., 983

OPERATIONS RESEARCH: application of optimizing techniques for studying field producing operations, JPT Jan., 82

new discipline of interest to the petroleum engineer, (Tech. Art.) JPT Jan., 11

OPTIMIZING TECHNIQUES: application to study of field producing operations, JPT Jan., 82

ORGANISMS: found in oilfield water-injection systems, SPEJ June, 71

ORIENTATION: of hydraulic fractures, field test to determine, JPT Apr., 371

OSTROOT, G. W. and WALKER, W. A.: *Improved Compositions for Cementing Wells with Extreme Temperatures*, JPT Mar., 277

OUSTERHOUT, R. S.: *Field Applications of Abrasive-Jetting Techniques*, (Tech. Art.) JPT May, 413

OUSTERHOUT, R. S. and HALL, C. D.: *Reduction of Friction Loss in Fracturing Operations*, (Tech. Art.) JPT Mar., 217

OUTMANS, H. D.: *Discussion on Stability Theory and Its Use To Optimize Solvent Recovery of Oil*, SPEJ Dec., 299

OWENS, W. W. et al: *A Scale-Model Study of Bottom-Water Drives*, JPT Jan., 90

OXYGEN SCAVENGERS: use to control external corrosion of oil-string casing, JPT July, 703

P

PACIFIC NORTHWEST: fuels competition and gas pricing, (Tech. Art.) JPT Sept., 835

PARKS FIELD UNIT: *See* Texas

PARTICLE SHAPE: significance in formation resistivity factor-porosity relationships, JPT Mar., 285

PARTICLE SIZE DISTRIBUTION: effects of bridging in lost circulation and filtration tests, JPT June, 575

PATRICK DRAW FIELD: *See* Wyoming

PERCENTAGE DEPLETION: and recent political pressures of erosion, (Tech. Art.) JPT June, 522

PERFORATING: high-temperature wells, (Tech. Art.) JPT Mar., 211

investigation of abrasive-laden-fluid method, JPT May, 489

PERFORMANCE HISTORY: Midland Farms, North (Grayburg) field, (Tech. Art) JPT Sept., 857

PERFORMANCE PREDICTIONS: calculated: solution gas-drive reservoirs, SPEJ Sept., 142

effect of vertical fractures, incompressible fluid case, SPEJ June, 105; discussion, 117

of gravity drainage reservoirs, JPT Sept., 927

in heterogeneous porous media, SPEJ Sept., 153

partial water-drive reservoir: a numerical solution to unsteady-state problem, SPEJ Sept., 184

Welch field, San Andres pilot water flood, (Tech. Art.) JPT Aug., 745

PERKINS, T. K. and KERN, L. R.: *Widths of Hydraulic Fractures*, JPT Sept., 937

PERKINS, T. K., et al: *Propping Fractures with Aluminum Particles*, JPT June, 583

PERMEABILITY: anistropic: approximate method for determining areal sweep efficiency and flow capacity in formations with, SPEJ Dec., 277

areal variation of: determining by calculations, JPT July, 691

of Delaware sand: characteristics of, JPT Dec., 1230

from pressure build-up curves: studies in bounded reservoirs, SPEJ Dec., 223

low: in gas-condensate well, calculated pressure build-up for, JPT Nov., 1131

of a reservoir, economic optimization of a development program for, (Tech. Art.) JPT Mar., 231

measurements of: evaluation of significance, (Tech. Art) JPT Aug., 739

relative: effect of viscosity on, SPEJ June, 59

imbibition in consolidated rock, SPEJ June, 61

three-phase imbibition, SPEJ Dec., 254

sandstone: factors controlling, (Tech. Art.) JPT Mar., 223; discussion, 230

stratified: study of the behavior of bounded reservoirs, SPEJ Mar., 43

study of flow by use of thermal analogy, SPEJ Dec., 215

two concentric regions: pressure drop in a composite reservoir, SPEJ Sept., 170

variation in: influence on solution-gas-drive performance, JPT May, 469

PERMIAN FORMATION: *See* Texas

PERRINE, R. L.: *Stability Theory and Its Use to Optimize Solvent Recovery of Oil*, SPEJ Mar., 9

The Development of Stability Theory for Miscible Liquid-Liquid Displacement, SPEJ Mar., 17

PETROLEUM ECONOMICS: *See* Economics

PETROLEUM ENGINEER: operations research, a new discipline of interest, (Tech. Art.) JPT Jan., 11

work of EJC, ECPD and NSPE, affects of, (Tech. Art.) JPT Mar., 236

PETROLEUM ENGINEERING: uses and limitations of computers in, (Tech. Art.) JPT July, 625

vanishing student of, (Tech. Art.) JPT June, 517

PHASE BEHAVIOR: equilibrium ratios of water in the water-triethylene glycol-natural gas system, JPT July, 697

multiple liquid phases in a natural-gas system, SPEJ Sept., 137

natural gas hydrates at pressures to 10,000 psia, JPT June, 590

nonequilibrium gas displacement calculations, SPEJ Sept., 130

PICKERING, C. H. et al: *A Study of Flow in Stratified Reservoirs by Use of the Thermal Analogy*, SPEJ Dec., 215

PIPE MOVEMENT: wellbore pressure surges produced by, JPT June, 595

PITTMAN, F. C. et al: *Investigation of Abrasive-Laden-Fluid Method For Perforation and Fracture Initiation*, JPT May, 489

PIXLER, B. O.: *Mud Analysis Logging*, (Tech. Art.) JPT Apr., 323

POETTMANN, F. H., et al: *Discussion on Effect of Bank Size on Oil Recovery in the High-Pressure Gas-Driven LPG-Bank Process*, JPT Aug., 813

POLASEK, T. L. et al: *Identification, Classification, and Prediction of Reservoir Nonuniformities Affecting Production Operations*, (Tech. Art.) JPT Mar., 223; discussion, 230

POLITICAL PRESSURES: and the depletion rationale, (Tech. Art.) JPT June, 522

POLYPHOSPHATES: sodium, deflocculation of fractionated montmorillonite by, SPEJ Dec., 229

POPHAM, J. L., et al: *Hydraulic Fracture—Field Test to Determine Areal Extent and Orientation*, JPT Apr., 371

POROSIMETER: constant-pressure gas type, JPT Jan., 87

POROSITY: from resistivity data, electric log techniques, (Tech. Art.) JPT Feb., 118

significance of particle shape in formation resistivity factor relationships, JPT Mar., 285

POROSTRICTION: use to characterize porous media having storage pores, JPT Apr., 383

POROUS MEDIA: approximate method for computing non-steady-state flow of gases, SPEJ Dec., 264

determining areal permeability distribution by calculations, JPT July, 691

effect of rock bulk compressibility on velocity-log interpretation, SPEJ Dec., 235; discussion, 246

experiments on mixing during miscible displacement, SPEJ Mar., 1; discussion, Sept., 213

heterogeneous, flow in, SPEJ Sept., 153

linear displacement of oil by enriched gas, JPT Aug., 787

mechanism of alcohol displacement of oil, SPEJ Sept., 195; discussion, 209

storage pores, use of alternating flow to characterize, JPT Apr., 383

thermal conductivities of rocks filled with stagnant fluid, SPEJ Mar., 37

thermal expansion and heat of reaction data for, SPEJ Dec., 249

three-phase imbibition relative permeability, SPEJ Dec., 254

POWERS, L. W. et al: *Laboratory Studies of Oil Recovery by Steam Injection*, JPT July, 681

PRATS, M.: *Effect of Vertical Fractures on Reservoir Behavior —Incompressible Fluid Case*, SPEJ June, 105; discussion, 117

PRATS, M. and LEVINE, J. S.: *The Calculated Performance of Solution-Gas-Drive Reservoirs*, SPEJ Sept., 142

PRESENT WORTH: rapid evaluations for oil- and gas-producing properties, (Tech. Art.) JPT Nov., 1075

PRESSURE BEHAVIOR: simple method for correcting spot pressure readings, JPT Aug., 803

PRESSURE BUILD-UP ANALYSES: calculated: for a low-permeability gas-condensate well, JPT Nov., 1131

estimating formation permeability, formation pressure, and well damage, (Tech. Art.) JPT Sept., 862

evaluation of significance of permeability measurements, (Tech. Art.) JPT Aug., 739

PRESSURE DISTRIBUTIONS: steady state: in nine-spot pattern for single fluid injection, SPEJ June, 81

studies in bounded reservoirs, SPEJ Dec., 223

PRESSURE DROP: in a composite reservoir, SPEJ Sept., 170

PRESSURE GRADIENTS: in high-rate flowing and gas-lift wells, calculation of, JPT Oct., 1023

in multiphase flow of water, oil and natural gas through vertical flow strings, JPT Oct., 1029

in simultaneous flow of gas and liquid as encountered in well tubing, JPT Oct., 1037

PRESSURE MAINTENANCE: *See* Water Flooding

Sharon Ridge Canyon Unit, Scurry County, Tex., (Tech. Art.) JPT July, 645

PRESSURE SURGES: produced in wellbore by pipe movement, JPT June, 595

PRICE, H. S., et al: *An Evaluation of the Significance of Permeability Measurements*, (Tech. Art.) JPT Aug., 739

PRICE, H. S. and WARREN, J. E.: *Flow in Heterogeneous Porous Media*, SPEJ Sept., 153

PROCESSING: sour-gas: new treating techniques improve, (Tech. Art.) JPT Oct., 976

PRODUCTION: oil: effect of rate on performance of wells producing from more than one horizon, SPEJ Mar., 26

PRODUCTION OPERATIONS: application of optimizing techniques, JPT Jan., 82

evaluation of vertical-lift in wells, JPT Apr., 390

identification, classification and prediction of reservoir nonconformities affecting, (Tech Art.) JPT Mar., 223; discussion, 230

some results of fracturing with the single-point entry technique, (Tech Art.) JPT Jan., 29

PRODUCTION PRACTICE: improved compositions for cementing wells with extreme temperatures, JPT Mar., 277

PRODUCTION STATISTICS: domestic: review of 1960, (Tech. Art.) JPT Apr., 319

foreign: review of oil production in 1960, (Tech. Art.) JPT Apr., 320

PRODUCTIVITY: effect of horizontal hydraulic fracturing on well performance, JPT Oct., 1050

PROFESSIONALISM: of engineers and scientists, (Tech. Art.) JPT Dec., 1184

PROJECTILES: high velocity, fractures and crates produced in sandstones by, JPT Mar., 273; discussion, JPT Sept., 955

PROPANE SLUG: driven by residue gas, field results of Parks field unit, Midland County Tex., (Tech. Art.) JPT Apr., 327

PROPERTY: oil and gas, acquisition of, (Tech. Art.) JPT June, 527

PROPPING AGENT: aluminum particles used in formation fractures, JPT June, 583

concentration for maximum fracture flow capacity, SPEJ Sept., 119

PSEUDO SKIN FACTORS: in studies of the effect of restricted fluid entry on well productivity, JPT Feb., 172

PUBLIC RELATIONS: in mounting political opposition to percentage depletion, (Tech. Art.) JPT June, 522

Q

QUINN, F. T.: *Natural Gas and the Competitive Fuel Market*, (Tech. Art.) JPT Aug., 727

R

RAGLAND, G., et al: *How the Work of EJC, ECPD and NSPE Affects the Petroleum Engineer*, (Tech. Art.) JPT Mar., 236

REED, P. W. et al: *Experiments on Mixing During Miscible Displacement in Porous Media*, SPEJ Mar., 1; discussion, Sept., 213

REED, R. L., et al: *Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept., 195; discussion, 209

REGISTRATION LAWS: for engineers in the various states, (Tech. Art.) JPT May, 433

RELATIVE PERMEABILITY: effect of viscosity on, SPEJ June, 59
imbibition in consolidated rock, SPEJ June, 61
three-phase imbibition, SPEJ Dec., 254

RESERVOIR ANALYSIS: effect of vertical fractures, in compressible fluid case, SPEJ June, 105; discussion, 117

RESERVOIR ENVIRONMENT: effect on water-oil displacements, JPT June, 579

RESERVOIR NONUNIFORMITIES: affecting production operations; identification, classification and prediction of, (Tech. Art.) JPT Mar., 223; discussion, 230

RESERVOIR PRESSURE: static, estimated from spot pressure measurements, JPT Aug., 803
studies in bounded reservoirs, SPEJ Dec., 223

RESERVOIR ROCK: *See also* Porous Media
porosity measurement by constant-pressure gas porosimeter, JPT Jan., 87
salt characteristics as they affect storage of hydrocarbons, (Tech. Art.) JPT Aug., 733

RESERVOIRS: composite: pressure drop in, SPEJ Sept., 170
stratified: a study of the behavior of bounded reservoirs, SPEJ Mar., 43

RESISTIVITY: true and water, from electric log data, (Tech. Art.) JPT Feb., 118

RESISTIVITY FACTOR: *See* Formation Resistivity Factor

RESPONSIBILITY: triangle of effective management, (Tech. Art.) JPT June, 519

REYNOLDS, J. J., et al: *Hydraulic Fracture—Field Test to Determine Areal Extent and Orientation*, JPT Apr., 371

RICE, J. D., et al: *A Numerical Solution to the Unsteady-State Partial-Water-Drive Reservoir Performance Problem*, SPEJ Sept., 184

RICE, L. E., JR.: *Simplified Graphical Method of Determining Gas Compressibility Factors*, (Tech. Art.) JPT Nov., 1081

RILEY, E. A.: *The Successful Caprock Queen Water Flood—New Mexico's First*, (Tech. Art.) JPT Dec., 1195

RINEHART, J. S. and MAURER, W. C.: *Fractures and Craters Produced in Sandstone by High-Velocity Projectiles*, JPT Mar., 273; discussion, JPT Sept., 955

ROBINSON, M. E. and KURTZ, W. L.: *Competitive Patterns in the Electric Utility Market—The Fossil Fuels*, (Tech. Art.) JPT Nov., 1071

ROEBUCK, I. F., JR.: *The Future Outlook for Tertiary Recovery*, (Tech. Art.) JPT May, 416

ROMERO-JUAREZ, A.: *Sand Concentration for Maximum Fracture Flow Capacity*, SPEJ Sept., 119

ROS, N. C. J.: *Simultaneous Flow of Gas and Liquid As Encountered in Well Tubing*, JPT Oct., 1037

ROWE, J. A., JR., et al: *Microbial Flora in a Number of Oilfield Water-Injection Systems*, SPEJ June, 71

ROWE, M. D., et al: *Economic Optimization of a Development Program for a Low-Permeability Reservoir*, (Tech. Art.) JPT Mar., 231

ROWLEY, D. S., et al: *Laboratory Drilling Performance of the Full-Scale Rock Bit*, JPT Jan., 71; discussion, 80

RUNBERG, G. W., et al: *Laboratory Studies of Oil Recovery by Steam Injection*, JPT July, 681

RUSSIA: oil industry impressions, (Tech. Art.) JPT July, 621

S

SACATOSA FIELD: *See* Texas

ST. JOHN, J. C., et al: *Investigation of Abrasive-Laden-Fluid Method For Perforation and Fracture Initiation*, JPT May, 489

SALT CHARACTERISTICS: affect on storage of hydrocarbons, (Tech. Art.) JPT Aug., 733

SAND CONSOLIDATION: large-scale laboratory investigation of techniques, JPT Dec., 1221

SAND EROSION PROCESS: theory of formation cutting using, JPT May, 483

SANDSTONE OUTCROP STUDIES: reservoir nonuniformities affecting production operations, (Tech. Art.) JPT Mar., 223; discussion, 230

SCALING: use in study of bottom-water drives, JPT Jan., 90

SCAUZILLO, F. R.: *Equilibrium Ratios of Water in the Water-Triethylene Glycol-Natural Gas System*, JPT July, 697

SCIENTISTS: union membership vs professionalism, (Tech. Art.) JPT Dec., 1184

SCHREMP, F. W., et al: *Use of Oxygen Scavengers To Control External Corrosion of Oil-String Casing*, JPT July, 703

SCOTT, J. B., et al: *Hydraulic Fracture—Field Test to Determine Areal Extent and Orientation*, JPT Apr., 371

SECONDARY RECOVERY: *See also* Miscible Displacement, Thermal Recovery of Oil, and Water Flooding
pressure maintenance in Sharon Ridge Canyon unit, Scurry County, Tex., (Tech. Art.) JPT July, 645
ten years of miscible displacement in Block 31 field, (Tech. Art.) JPT June, 543
use of stability theory in solvent-oil recovery, SPEJ Mar., 9

SELIM, M. A. and SOMERTON, W. H.: *Additional Thermal Data for Porous Rocks—Thermal Expansion and Heat of Reaction*, SPEJ Dec., 249

SHARON RIDGE CANYON UNIT: *See* Texas

SHRINKAGE: oil: calculation of, JPT Nov., 1135

SIDEWALL CORE ANALYSIS: in formation evaluation, (Tech. Art.) JPT May, 419

SIMON, R.: *Discussion on Laboratory Drilling Performance of the Full-Scaled Rock Bit*, JPT Jan., 80

SIMPSON, J. P., et al: *The New Look in Oil-Mud Technology*, (Tech. Art.) JPT Dec., 1177

SINGLE-POINT-ENTRY FRACTURING TECHNIQUE: some results of, (Tech. Art.) JPT Jan., 29

SKIBA, F. F., et al: *An Evaluation of the Significance of Permeability Measurements*, (Tech. Art.) JPT Aug., 739

SKIN EFFECT: pseudo, in studies of the effect of restricted fluid entry on well productivity, JPT Feb., 172

SLUG PROCESS: *See* Miscible Displacement

SMITH, G. H. and ATKINS, E. R., JR.: *The Significance of Particle Shape in Formation Resistivity Factor-Porosity Relationships*, JPT Mar., 285; discussion, Oct., 1057

SMITH, J. M. and KUNII, D.: *Thermal Conductivities of Porous Rocks Filled with Stagnant Fluid*, SPEJ Mar., 37

SMITH, N. D., JR.: *Impressions of the Russian Oil Industry*, (Tech. Art.) JPT July, 621

SMITH, R. V.: *Unsteady-State Gas Flow into Gas Wells*, JPT Nov., 1151

SODIUM CHLORIDE: as partial acceleration in improved bentonite cements, JPT Sept., 923

SOLUTION-GAS DRIVE: calculated performance of reservoirs, SPEJ Sept., 142
influence of production rate, permeability variation and well spacing on performance, JPT May, 469
reservoir analysis of, SPEJ June, 92

SOLVENT FLOODING: development of stability theory for miscible liquid-liquid displacement, SPEJ Mar., 17
use to optimize recovery of oil, SPEJ Mar., 9

SOMERTON, W. M. and SELIM, M. A.: *Additional Thermal Data for Porous Rocks—Thermal Expansion and Heat of Reaction*, SPEJ Dec., 249

SONIC METHOD: for analyzing the quality of cementation of borehole casings, JPT Feb., 165

SONIC-RESISTIVITY: differential, use of plots to find movable oil in Permian formations, (Tech. Art.) JPT Aug. 749

SONOSKY, J. M.: *Engineering the Oil Loan*, (Tech. Art.) JPT Jan., 19

SOUR GAS: new treating techniques improve processing, (Tech. Art.) JPT Oct., 976

STABILITY THEORY: development for miscible liquid-liquid displacement, SPEJ Mar., 17

use to optimize solvent recovery of oil, SPEJ Mar., 9
STATISTICS: domestic: of petroleum production, review of 1960, (Tech. Art.) JPT Apr., 319
foreign: of oil production, review of 1960, (Tech. Art.) JPT Apr., 320
STEAM INJECTION: *See* Thermal Recovery of Oil
STEGEMEIER, G. L. and HOUGH, E. W.: *Correlation of Surface and Interfacial Tension of Light Hydrocarbons in the Critical Region*, SPEJ Dec., 259
STEWART, C. R., et al: *The Use of Alternating Flow to Characterize Porous Media Having Storage Pores*, JPT Apr., 383
STIMULATION OF WELLS: applications of acetic acid, (Tech. Art.) JPT July, 637
STONE, H. L. and GARDER, A. O., JR.: *Analysis of Gas-Cap or Dissolved-Gas Drive Reservoirs*, SPEJ June, 92; discussion, 102
STONE, O. L. et al: *Chlorine Logging in Cased Holes*, (Tech. Art.) JPT June, 531
STORAGE: pore: use of alternating flow to characterize porous media having, JPT Apr., 383
underground: of hydrocarbons, effect of salt characteristics on, (Tech. Art.) JPT Aug., 733
STRATIFICATION: *See* Permeability, stratified
STRESS ANALYSIS: experimental, of tool joints, JPT May, 496
STRESSES: caused by bit loading at center of hole, SPEJ Sept., 177
STROUD, L., et al: *Multiple Liquid Phases in a Natural-Gas System*, SPEJ Sept., 137
STUDENTS: decreasing in petroleum engineering, (Tech. Art.) JPT June, 517
STURDIVANT, W. C., JR.: *Rapid Present-Worth Evaluations for Oil- and Gas-Producing Properties*, (Tech. Art.) JPT Nov., 1075
SURFACE TENSION: correlation of light hydrocarbons in critical region, SPEJ Dec., 259
SWEEP EFFICIENCY: area (pattern): five-spot potentiometric study of effects of mobility ratio, SPEJ Sept., 125
bottom water-drive reservoirs, scaled-model study, JPT Jan., 90
SWIFT, V. N., et al: *Some Results of Fracturing with the Single-Point Entry Technique*, (Tech. Art.) JPT Jan., 29
SZASZ, S. E.: *Discussion on Identification, Classification and Prediction of Reservoir Nonuniformities Affecting Production Operations*, (Tech. Art.) JPT Mar., 230

T

TABER, J. J., et al: *Mechanism of Alcohol Displacement of Oil from Porous Media*, SPEJ Sept., 195; discussion, 209
TAXATION: in the depletion rationale and recent political pressures of erosion, (Tech. Art.) JPT June, 522
TEK, M. R.: *Multiphase Flow of Water, Oil and Natural Gas Through Vertical Flow Strings*, JPT Oct., 1029
TEK, M. R., et al: *Study of Gas Reservoirs Subject to Water Drive on Electronic Differential Analyzer*, SPEJ Dec., 287
TEMPELAAR-LIETZ, W.: *Effect of Oil Production Rate on Performance of Wells Producing from More Than One Horizon*, SPEJ Mar., 26
TERRELL, A. and CRENSHAW, P.: *Stimulation of Deep Gas and Gas-Distillate Wells*, (Tech. Art.) JPT Sept., 841
TERTIARY RECOVERY: future outlook for, (Tech. Art.) JPT May, 416
TESTING: drill stem: status of techniques and analysis, (Tech. Art.) JPT Apr., 333
TEXAS: Block 31 field: ten years of miscible displacement, (Tech. Art.) JPT June, 543
Midland Farms, North (Grayburg) field: performance history of, (Tech. Art.) JPT Sept., 857
Parks field unit: field results of program using liquid propane driven by gas, (Tech. Art.) JPT Apr., 327
Sacatosa field: characterization of San Miguel sandstone by a coordinated logging and coring program, (Tech. Art.) JPT May, 425
economic optimization of a development program for, (Tech. Art.) JPT Mar., 231
Sharon Ridge Canyon unit, Scurry County: pressure maintenance operations, (Tech. Art.) JPT July, 645
West: Permian formations, use of differential sonic-resistivity plots to find movable oil, (Tech. Art.) JPT Aug., 749
Welch field, history of San Andres pilot water flood, (Tech. Art.) JPT Aug., 745
THERMAL ANALOGY: use in study of flow in stratified reservoirs, SPEJ Dec., 215
THERMAL PROPERTIES: conductivities of porous rocks filled with stagnant fluid, SPEJ Mar., 37
expansion of sandstone, SPEJ Dec., 249
THERMAL RECOVERY OF OIL: laboratory studies of oil recovery by steam injection, JPT July, 681
THOMAS, R. and BAXENDELL, P. B.: *The Calculation of Pressure Gradients in High-Rate Flowing Wells*, JPT Oct., 1023
THOMSEN, H. S., et al: *The Effect of Coil Design on the Performance of the Induction Log*, JPT Nov., 1137; discussion, 1148
TIMKO, D. J., et al: *Characterization of the San Miguel Sandstone by a Coordinated Logging and Coring Program*, (Tech. Art.) JPT May, 425
TOOL JOINTS: experimental stress analysis of, JPT May, 496
TRAINING: in responsibility triangle of effective management, (Tech. Art.) JPT June, 519
TUMAN, V. S.: *Discussion on Velocity-Log Interpretation: The Effect of Rock Bulk Compressibility*, SPEJ Dec., 246
TUMAN, V. S. and BOLLMAN, D.: *Application of Computers to the Interpretation of Wells Logs*, (Tech. Art.) JPT Apr., 311
TURAN, F. H. and JESSEN, F. W.: *Deflocculation of Fractionated Montmorillonite by Sodium Polyphosphates*, SPEJ Dec., 229

U

UNDERGROUND STORAGE: of hydrocarbon, affect of salt characteristics, (Tech. Art.) JPT Aug., 733
UNIONS: membership for engineers and scientists, (Tech. Art.) JPT Dec., 1184
UNITED STATES: effects of price and availability on future energy market, (Tech. Art.) JPT Oct., 971
U.S.S.R.: oil industry impressions, (Tech. Art.) JPT July, 621

V

VALLEROY, V. V., et al: *Laboratory Studies of Oil Recovery by Steam Injection*, JPT July, 681
VALUATION: loans on oil and gas properties, (Tech. Art.) JPT Jan., 19
VANCE, H.: *Planning the Formation Evaluation Program for Development Financing*, (Tech. Art.) JPT Feb., 115
VAN POOLLEN, H. K.: *Status of Drill-Stem Testing Techniques and Analysis*, (Tech. Art.) JPT Apr., 333
VAN WINGEN, N. and MELKONIAN, B. L.: *Review of California Waterflooding Operations*, (Tech. Art.) JPT Feb., 130
VELOCITY: high: of projectiles, fractures and craters produced in sandstone by, JPT Mar., 273
VELOCITY LOGGING: *See also* Acoustic Velocity Logging
some phenomena pertinent to, (Tech. Art.) JPT July, 629
VENEZUELA: Lake Maracaibo: LL-5 flank water flood, (Tech. Art.) JPT Dec., 1191
VENGHIATTIS, A. A.: *Discussion on Fractures and Craters Produced in Sandstone by High-Velocity Projectiles*, JPT Sept., 955
VISCOSITY: oil: effect on relative permeability, SPEJ June, 59
VISCOSITY RATIO: in experiments on mixing during miscible displacement in porous media, SPEJ Mar., 1; discussion, Sept., 213

W

WALKER, T. and ANDERSON, W. L.: *Research Predicts Improved Cement Bond Evaluations with Acoustic Logs*, (Tech. Art.) JPT Nov., 1093
WALKER, W. A. and OSTROOT, G. W.: *Improved Compositions for Cementing Wells with Extreme Temperatures*, JPT Mar., 277
WARDLAW, H. W. R.: *Simplified Analysis Aids in Optimizing Drilling Factors for Minimum Cost*, JPT May, 475
WARREN, J. E. and HARTSOCK, J. H.: *The Effect of Horizontal Hydraulic Fracturing on Well Performance*, JPT Oct., 1050

WARREN, J. E. and PRICE, H. S.: *Flow in Heterogeneous Porous Media*, SPEJ Sept., 153

WARREN, J. E., et al: *An Evaluation of the Significance of Permeability Measurements*, (Tech. Art.) JPT Aug., 739

WATER: equilibrium ratios in water-triethylene glycol-natural gas system, JPT July, 697

formation, resistivity and saturation from electric logs, (Tech. Art.) JPT Feb., 118

multiphase flow with oil and natural gas through vertical flow strings, JPT Oct., 1029

See also Water Influx

WATER DRIVE: bottom: model test results and performance predictions, JPT Jan., 90

of gas reservoirs, study on electronic differential analyzer, SPEJ Dec., 287

partial: a numerical solution to the unsteady-state reservoir performance problem, SPEJ Sept., 184

WATER FLOODING: approximate equations for predicting injection rates in multifluid floods, SPEJ June, 81

Caprock Queen pool: New Mexico's first success, (Tech. Art.) JPT Dec., 1195

of cellar oil, JPT Apr., 377

feasibility of Delaware formation, JPT Dec., 1230

history of Welch field San Andres pilot, (Tech. Art.) JPT Aug., 745

linear: with gravity and capillary effects, SPEJ Mar., 32

LL-5 flank: tailor-made water-injection system saves money at Lake Maracaibo, (Tech. Art.) JPT Dec., 1191

microbial flora found in oilfield water-injection systems, SPEJ June, 71

oil recovery by imbibition, SPEJ June, 61

performance history of the Midland Farms, North (Grayburg) field, (Tech. Art.) JPT Sept., 857

pressure maintenance operations in the Sharon Ridge Canyon Unit, Scurry County, Tex., (Tech. Art.) JPT July, 645

review of California operations, (Tech. Art.) JPT Feb., 130

WATERFLOOD TESTS: effect of reservoir environment on water-oil displacement, JPT June, 579

WATER INFLUX: vertical: from adjacent shales, model studies of oil displacement from thin sands by, JPT Sept., 950

WATER-OIL DISPLACEMENT: effect of reservoir environment, JPT June, 579

WEARDEN, P. L., et al: *A Numerical Solution to the Unsteady-State Partial-Water-Drive Reservoir Performance Problem*, SPEJ Sept., 184

WEINAUG, C. F.: *Calculation of Differential Gas Liberation and Shrinkage*, JPT Nov., 1135

WELCH FIELD: *See* Texas

WELGE, H. J., et al: *The Linear Displacement of Oil from Porous Media by Enriched Gas.*, JPT Aug., 787

WELLBORE PRESSURE SURGES: produced by pipe movement, JPT June, 595

WELL COMPLETION: *See also* Well Stimulation

applications of acetic acid, (Tech. Art.) JPT July, 637

improved compositions for cementing wells with extreme temperatures, JPT Mar., 277

perforating high-temperature wells, (Tech. Art.) JPT Mar., 211

some results of fracturing with the single-point entry technique, (Tech. Art.) JPT Jan., 29

wellbore pressure surges produced by pipe movement, JPT June, 595

WELL LOGGING: application of computers to interpretation, (Tech. Art.) JPT Apr., 311

chlorine logging in cased holes, (Tech. Art.) JPT June, 531

coordinated program with coring for characterization of the San Miguel sandstone, (Tech. Art.) JPT May, 425

effect of coil design on performance of induction log, JPT Nov., 1137; discussion, 1148

electrodeless system for measuring electric logging parameters on cores and mud samples, JPT Mar., 292

induced nuclear reaction logging, JPT Aug., 797

interpretation, significance of particle shape in formation resistivity factor-porosity relationships, JPT Mar., 285

mud analysis, (Tech. Art.) JPT Apr., 323

research predicts improved cement bond evaluations with acoustic logs, (Tech. Art.) JPT Nov., 1093

resume of formation evaluation with the wireline formation tester, (Tech. Art.) JPT Oct., 987

some phenomena pertinent to velocity logging, (Tech. Art.) JPT July, 629

techniques of electric log interpretation, (Tech. Art.) JPT Feb., 118

use of differential sonic-resistivity plots to find movable oil in Permian formations, (Tech. Art.) JPT Aug., 749

WELL LOGS: evaluation of limestone formation characteristics, (Tech. Art.) JPT Nov., 1087

WELL PATTERN: effect on injection rates in multifluid floods, SPEJ June, 81

five spot: history of Welch field San Andres pilot water flood, (Tech. Art.) JPT Aug., 745

potentiometric study of effects of mobility ratio, SPEJ Sept., 125

WELL PERFORMANCE: calculated pressure build-up for a low permeability gas-condensate well, JPT Nov., 1131

unsteady-state gas flow, JPT Nov., 1151

flowing and gas lift: evaluation of, JPT Apr., 390

WELL PRODUCTIVITY: effect of restricted fluid entry, JPT Feb., 172

WELL SPACING: influence on solution-gas-drive performance, JPT May, 469

WELL STIMULATION: deep gas and gas-distillate wells, (Tech. Art.) JPT Sept., 841

effect of horizontal hydraulic fracturing on well performance, JPT Oct., 1050

field test to determine areal extent and orientation of hydraulic fractures, JPT Apr., 371

reduction of friction loss in fracturing operations, (Tech. Art.) JPT Mar., 217

some results of fracturing with the single-point entry technique, (Tech. Art.) JPT Jan., 29

WELL TUBING: simultaneous flow of gas and liquid, JPT Oct., 1037

WETTABILITY: effect of reservoir environment on water-oil displacement, JPT June, 595

WILHOIT, J. C., JR. and CHEATHAM, J. B. JR.: *Stresses Caused by Bit Loading at the Center of the Hole*, SPEJ Sept., 177

WILLMAN, B. T., et al: *Laboratory Studies of Oil Recovery by Steam Injection*, JPT July, 681

WILSON, W. W.: *Oil and Gas Property Acquisition*, (Tech. Art.) JPT June, 527

WIRELINE TESTER: merits and shortcomings in using for formation evaluation, (Tech. Art.) JPT Oct., 987

WISE, W. B., et al: *Application of Optimizing Techniques for Studying Field Producing Operations*, JPT Jan., 82

WORLEY, M. S.: *New Treating Techniques Improve Sour-Gas Processing*, (Tech. Art.) JPT Oct., 976

WYANT, R. E., et al: *Propping Fractures with Aluminum Particles*, JPT June, 583

WYGAL, R. J. and NAAR, J.: *Three-Phase Imbibition Relative Permeability*, SPEJ Dec., 254

WYLLIE, M. R. J., et al: *Some Phenomena Pertinent to Velocity Logging*, (Tech. Art.) JPT July, 629

WYOMING: Big Piney and Patrick Draw fields: some results of fracturing with the single-point entry technique, (Tech. Art.) JPT Jan., 29

Y

"*Y*" FUNCTION: empirical "rate of flow" term in unsteady-state gas flow into gas wells, JPT Nov., 1151

YOO, H. D., et al: *Study of Gas Reservoirs Subject to Water Drive on Electronic Differential Analyzer*, SPEJ Dec., 277

YOUNG, J. A.: *Engineers and Scientists—Unions and Professionalism*, (Tech. Art.) JPT Dec., 1184